

**AMENDMENTS TO THE CLAIMS**

Claims 1-5 (cancelled)

6. (Currently amended) A cosmetic ~~preparation~~ composition which comprises a copolymer  
~~a polymer~~ which consists essentially of

30 to 59% by weight	of vinylcaprolactam (monomer A),
40 to 69% by weight	of vinylpyrrolidone (monomer B),
1 to 4% by weight	of vinylimidazole (monomer C),
0 to 10% by weight	of monomer D,
0 to 10% by weight	(based on the total amount of monomer) of polymer E,

where the weight ratio of monomer C to monomer B is less than 1:13, in hair cosmetics.

7. (cancelled)

8. (Previously presented) The composition according to claim 6, wherein said composition is used in hair cosmetics.

9. (Previously presented) The composition according to claim 6, wherein said composition is used in hair-setting compositions or hair shampoo.

10. (Previously presented) The composition according to claim 6, wherein said composition is used in skin cosmetic preparations.

11. (Previously presented) A hair-setting preparation, in the form of a foam, mousse, spray or gel, where the active constituent used is a polymer according to claim 6.

12. (Currently amended) The composition according to claim 6, where the polymer copolymer which consists essentially of

35 to 50% by weight	monomer A
49 to 62% by weight	monomer B
1 to 3% by weight	monomer C
0 to 10% by weight	of monomer D
0 to 10% by weight	(based on the total amount of monomer) of polymer E,

where the weight ratio of monomer C to monomer B is less than or equal to 1:14.


13. (Previously Presented) The composition according to claim 12, wherein the weight ratio of monomer C to monomer B is less than or equal to 1:23.

14. (New) The composition according to claim 6, which further requires monomer D to be present in an amount not more than 5% by weight.

15. (New) The composition according to claim 6, which further requires polymer E to be present in an amount not more than 10% by weight.

16. (New) The composition according to claim 14, wherein monomer D comprises

a) ethylenically unsaturated monomer of the formula:



where

X is a radical -OH, -OM, -OR<sup>21</sup>, NH<sub>2</sub>, -NHR<sup>21</sup>, N(R<sup>21</sup>)<sub>2</sub>;


M is a cation selected from the group consisting of Na<sup>+</sup>, K<sup>+</sup>, Mg<sup>++</sup>, Ca<sup>++</sup>, Zn<sup>++</sup>, NH<sub>4</sub><sup>+</sup>,

alkylammonium, dialkylammonium, trialkylammonium and tetraalkylammonium;

the radicals  $R^{21}$  may be identical or different and are -H,  $C_1$ - $C_{40}$  linear- or branched-chain alkyl radicals, N,N-dimethylaminoethyl, 2-hydroxyethyl, 2-methoxyethyl, 2-ethoxyethyl, hydroxypropyl, methoxypropyl or ethoxypropyl, and

$R^{20}$  and  $R^{19}$  are independently of one another -H,  $C_1$ - $C_8$  linear- or branched-chain alkyl chains, methoxy, ethoxy, 2-hydroxyethoxy, 2-methoxyethoxy or 2-ethoxyethyl,

b) N,N-dialkylaminoalkyl acrylate, methacrylate or N-dialkylaminoalkylacrylamide or -methacrylamides of the formula (VII)



wherein

$R^{22}$  is H, alkyl having 1 to 8 carbon atoms,

$R^{23}$  is H, methyl,


$R^{24}$  is alkylene having 1 to 24 carbon atoms, optionally substituted by alkyl,

$R^{25}$ ,  $R^{26}$  is  $C_1$ - $C_{40}$  alkyl radical,

Z is nitrogen when  $g = 1$  or oxygen when  $g = 0$ ,


c) substituted acrylic acids, and salts, esters and amides thereof, where the substituents on the carbon atoms are in the two or three position on the acrylic acid, and are independently of one another  $C_1$ - $C_4$  alkyl, -CN or COOH,

d) allyl esters of C<sub>1</sub>-C<sub>40</sub> linear, C<sub>3</sub>-C<sub>40</sub> branched-chain or C<sub>3</sub>-C<sub>40</sub> carbocyclic carboxylic acid, vinyl or allyl halide, vinyl ether, vinyl- or allyl-substituted heterocyclic compound, N-vinylimidazole derivatives of the formula VIII,



in which R<sup>27</sup> to R<sup>29</sup>, independently of one another, are hydrogen, C<sub>1</sub>-C<sub>4</sub>-alkyl or phenyl:


e) diallylamine of the formula (IX)



where R<sup>30</sup> = C<sub>1</sub>- to C<sub>24</sub>-alkyl,


f) vinylidene chloride; and hydrocarbon having at least one carbon-carbon double bond,

g) the reaction products of unsaturated acid with a quaternized epichlorohydrin of the formula (X)



wherein R<sup>31</sup> = C<sub>1</sub>- to C<sub>40</sub>-alkyl and X is defined above

h) open-chain N-vinylamide compounds of the general formula (I)



where  $R^1$ ,  $R^2$ ,  $R^3$  = H or  $C_1$ - to  $C_6$ -alkyl, or

i) polyether acrylate.

17. (New) The composition according to claim 15, wherein polymer E consists essentially of

- E1) polyether-containing compounds,
- E2) polymers which contain at least 5% by weight of vinylpyrrolidone units in copolymerized form,
- E3) polymers which contain at least 50% by weight of vinyl alcohol units or
- E4) natural substances E4) which contain saccharide structures.

18. (New) The composition according to claim 14, which further requires polymer E to be present in an amount not more than 10% by weight.


19. (New) The composition according to claim 18, wherein polymer E consists essentially of

- E1) polyether-containing compounds,
- E2) polymers which contain at least 5% by weight of vinylpyrrolidone units in copolymerized form,
- E3) polymers which contain at least 50% by weight of vinyl alcohol units or
- E4) natural substances E4) which contain saccharide structures.

20. (New) The composition according to claim 16, which further requires polymer E is present and polymer E consists essentially of


- E1) polyether-containing compounds,
- E2) polymers which contain at least 5% by weight of vinylpyrrolidone units in copolymerized form,
- E3) polymers which contain at least 50% by weight of vinyl alcohol units or
- E4) natural substances E4) which contain saccharide structures.

21. (New) The composition according to claim 6, wherein component C is a vinylimidazole of the formula XI,




in which  $R^{40}$  to  $R^{42}$ , independently of one another, are hydrogen,  $C_1$ - $C_4$ -alkyl or phenyl.

22. (New) The composition according to claim 12, wherein component C is a vinylimidazole of the formula XI,



in which R<sup>40</sup> to R<sup>42</sup>, independently of one another, are hydrogen or methyl.

23. (New) The composition according to claim 20, wherein component C is a vinylimidazole of the formula XI,



in which R<sup>40</sup> to R<sup>42</sup>, independently of one another, are hydrogen or methyl.

24. (New) A cosmetic composition which consists essentially of a copolymer which consists essentially of

- |                     |  |
|---------------------|--|
| 30 to 59% by weight | of vinylcaprolactam (monomer A),                     |
| 40 to 69% by weight | of vinylpyrrolidone (monomer B),                     |
| 1 to 4% by weight   | of vinylimidazole (monomer C),                       |
| 0 to 10% by weight  | of monomer D,  |
| 0 to 10% by weight  | (based on the total amount of monomer) of polymer E, |

where the weight ratio of monomer C to monomer B is less than 1:13, in hair cosmetics.